

**Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the subject application:

**Listing of Claims**

1. (Currently amended) ~~An antenna installation method,~~ A method for installing and tuning an antenna having a feed/low noise block amplifier assembly with a satellite, the method comprising:

affixing ~~an~~ the antenna ~~having a feed/LNBF assembly~~ to a vertically extending mast;  
aligning the antenna such that the feed/low noise block amplifier receives signals from the satellite;

electronically coupling the feed/low noise block amplifier of the antenna to a set top box located remote from the antenna such that the feed/low noise block amplifier transmits the signals received from the satellite to the set top box;

electronically coupling ~~[[a]]~~ the set top box to a television located remote from the antenna and having a television speaker;

operating the set top box and the television such that a series of tones are emitted from the television speaker which are indicative of the strength of the satellite signals transmitted to the set top box and which are further indicative of an alignment of the antenna with the satellite;

affixing a speaker to the vertically extending mast; and

supporting a transmitter adjacent the television speaker, the transmitter-transmitting the series of tones emitted by the television speaker to the speaker.

2. (Original) The method of claim 1 wherein said affixing the speaker to the mast comprises magnetically attaching the speaker to the mast.

3. (Original) The method of claim 1 wherein said affixing the speaker to the mast comprises attaching the speaker to the mast with hook and loop fasteners.

4. (Currently amended) The method of claim 1 wherein said affixing an antenna ~~having a feed/LNBF assembly~~ to a vertically extending mast comprises:  
attaching the antenna to a mounting bracket; and  
coupling the mounting bracket to the mast.

5. (Original) The method of claim 1 wherein said affixing the antenna to the vertically extending mast comprises attaching the antenna to the mast such that the antenna is positioned in an elevation orientation and an azimuth orientation.

6. (Original) The method of claim 1 further comprising:  
adjusting the position of the antenna relative to the satellite; and

assessing a degree of alignment between the antenna and the satellite.

7. (Original) The method of claim 4 further comprising:  
adjusting the position of the antenna relative to the satellite; and  
assessing a degree of alignment between the antenna and the satellite.

8. (Original) The method of claim 5 further comprising adjusting the antenna  
to another elevation orientation.

9. (Original) The method of claim 5 further comprising adjusting the antenna  
to another azimuth orientation.

10. (Original) The method of claim 5 further comprising:  
adjusting the antenna to another elevation orientation; and  
adjusting the antenna to another azimuth orientation.

11. (Currently amended) The method of claim 6 comprises comparing the series  
of tones emitted by the television speaker and transmitted by the transmitter to a desired tone  
which is indicative of a desired alignment between the antenna and the satellite.

12. (Currently amended) The method of claim 7 comprises comparing the series of tones emitted by the television speaker and transmitted by the transmitter to a desired tone which is indicative of a desired alignment between the antenna and the satellite.

13. (Original) The method of claim 6 further comprising:  
readjusting the position of the antenna relative to the satellite; and  
reassessing the degree of alignment between the antenna and the satellite.

14. (Original) The method of claim 7 further comprising:  
readjusting the position of the antenna relative to the satellite; and  
reassessing the degree of alignment between the antenna and the satellite.